

1. 1.26 C.F. CONCRETE PER L.F.
2. ALL EXPOSED SURFACES OF CONCRETE CURB & GUTTER SHALL HAVE A BRUSH FINISH.
3. #57 STONE TO BE INCLUDED IN THE COST OF ITEM 609, COMBINED CURB AND GUTTER.
4. ITEM 605, PIPE UNDERDRAIN TO BE PAID SEPARATELY UNLESS OTHERWISE SHOWN IN THE PLANS.

APPROVED *2/12/01*

*Kent Hultman*  
CITY ENGINEER

REVISED: 2/12/01


TYPICAL CURB AND GUTTER

CITY OF LANCASTER, OHIO  
DEPARTMENT OF ENGINEERING


STANDARD CONSTRUCTION DRAWING

DWG. BY: DDK  
CHK'D BY: *RM*


FILE NUMBER  
**P-3** of 2




**SPACING FOR CURB DIVISION PLATES**



**STD. FULL DIVISION PLATE**



**STD. PARTIAL DIVISION PLATE**



**NOTE:**  
 TO BE USED ONLY AS  
 DIRECTED BY THE CITY  
 ENGINEER FOR REPLACING  
 EXISTING LIKE SECTIONS OF  
 CURB.

APPROVED 2/20/01

*Kent Huston*  
 CITY ENGINEER

REVISED: 02/16/01

**SPECIAL  
 CURB &  
 GUTTER**

CITY OF LANCASTER, OHIO  
 DEPARTMENT OF ENGINEERING

STANDARD  
 CONSTRUCTION DRAWING

DWG. BY: DDK  
 CHK'D BY: RM  
 FILE NUMBER  
**P-3** 2 of 2